Receiving Report Batch No: 12/2/6 Date: 6518 Dart P/O: Supplier: N/A Yes Release Note Attached: Yes Packing Slip: Waybill Attached: Yes Yes Invoice: Cash Shipment Complete: Yes No L Receipt: 12/12/102 QC6 Inspection _ N/A N/A Work Order Discrepancies Part Quantity Quantity Quantity Quantity Description Comments Number Ordered Received Returned Short Initials of receiver (if shipment OK) Level 12 Production/Admin: Date Location Received/Costing Initial

H:\FORMS\Purchasing\approved purch\RECFEPORT Rev.D

Purchase Order Receipt Listing

Friday, March 30, 2012 6:46:59 AM

All amounts are calculated in domestic currency.

Page I of 1

All Vendors PO ID PO16518 Receipt Dates from 3/30/2012 to 3/30/2012 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

uantity:	Total Balance Due Quantity:	Tot						·	
←	Total Reject Quantity: Total Receipt Value:				. •				
2 :	Total Qty to Inspect (PO U/M):	Total							
Š	Total Received Onantity:	.a				121216	121		
	0.0000	\$1,245.60		00 DESJ02	500.0000	304 BAR .250 x .500 f	304	N O	
	0.0000	\$2.45	509.0800	2 3/30/2012	4/4/2012	M304B0.250x0.500 f	МЗ	υı	
						121216	121		
	0.0000	\$361.09		00 DESJ02	12.0000	304 BAR .625 X 3.00 f	304	N _o	
	0.0000	\$27.99	12.9000	2 3/30/2012	4/4/2012	M304B0.625X3.000 f	МЗ	4	
			-			121216	121		
	0.0000	\$722.95		00 DESJ02	96.0000	2024-T3 .050 sheet sf	202	No	CAD
	0.0000	\$7.53	96.0000	4/4/2012 3/30/2012	4/4/201	M2024T3S.050 sf	M2	_	PO16518
						001 Metaux Castle	e VC-MET001	endor Nam	VendorID\Vendor Name
	(PO U/M)		(PO U/M)	Recv Emp	-	Cert Std	Cei		Curr Type
MRB Reject	Rejected Qty	Recy Value	Qty	y Date/	Required Date	Description/ Stock U/M	Project in Keierence/ Description	Nbr/	Purchase Order ID/
MRR Otv	Inspected Oty/		Dany		Danimad Dat		ייי דייי דייי	•	-



A. M. Castle & Co.

BORDEREAU DE MARCHANDISES

Page 1 of 1

_	7	_				_								
Details d'expédition / Shipment Details					Date d'expédition		H9R 3S2	POINTE CLAIRE, QUEREC	835-SELKIRK AVENUE	MONTREAL	Inc.	A. M. Castle & Co. (Canada)	Expedie de / Ship From:	Evnádiá do / Chia
/Shipmer			DRIGIN	į	FOR	-		JEBEC -	_			-	rom:	
		Prepaid	L'eight leillis	Freight Town	NA Jana				CA	HAWKEDRIBY ON VOA 177	1270 ABERDEEN	DART AFROSPACE LTD	Vendu à / Sold To:	
		MANITOULIN		Freight Town				1K7 CAN	HAWKESBURY, ON K6A	12/0 ABERUEEN	WILL CALL-MONTREAL	Expedie a / Sulb 10:	Evnádiá à / Ohi- T	No de Formula
		1249245-2	/BOL No	No du Bon de connaissement			CA	H9R 3S2	POINTE CLAIRE, QC	835 SELKIRK AVENUE	WILL CALL-MONTREAL	Livre a / Deliver To:		No de Formulaire d'Emballage / Shipment No:1249245

No de commande / Order No Corder No Line No No de ligne No d'article / Item No Line No Corder No Line No No de ligne No d'article / Item No Description Descripti
Destination finale / Final Destination Branch -
Igne No d'article / Item No Description 770884 No de pièces / Part Number No de coulée / Code méc Heat Number No de coulée / Mech Id S / Mech Id S / Selbs oft éléfeont exportées, elles dolvent so conformat à ces règlements. Toutle modification du contrat de transpor
Description Description Description O.0500.SH.2024.T3.ALUMINUM.BARE.48.0000.144.0000 SPECIFICATIONS: AMS-QQ-A-250/4 Qté commandée / Ordered Qty Qté Facturée / Invoice Qty Invoice Qty 2.0000 PCS Code méc Pièce Largeur (Pouce)/ Length (IN) Length (IN) Shipped Qty(LBS 144 144 144 145 144 144 145 144 145 145 144 145 145 145 145 144 145
nal Destination Branch - I UMINUM.BARE.48.0000.1 VIS-QQ-A-250/4 ered Qty
nal Destination Branch - I UMINUM.BARE.48.0000.1 VIS-QQ-A-250/4 ered Qty
NUM.BARE.48.0000.144.0000 QQ-A-250/4 d Qty
ch - MON OO.144.0000 cturée / e Qty) PCS Shipped Qty(LBS 69.12

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US law prohibited. Date Printed: 28-MAR-2012 02:21:08 PM

client ne peut être retourné pour crédit.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description.

Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned

Ce matériel a été reçu et inspecté par Reviewed by Authorized Castle Metals Representative:

WNNIWNTY

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

KENNESAW, GA 30144 4175 ROYAL DRIVE, SUITE 600 A M CASTLE METALS :OT 91H2

SUITE 220 1420 KENSINGLON BD OT GOOS -OO & STEE WAY SOLD TO:

OAK BROOK, IL 60523

au.	nite-	,itin	an 2	he	<u>'!</u> }!+	າຍປ

TOV9R\800 8 MTSA

NI 000'0

LENGTH:

AveR\4\032-A-QQ-2MA

CMMP 019/RevD Nv9A\\\ EO4 &MA

Test Results

01.0

IS

Ultimate KSI (MPA)

Cast 535

Ingot 5

9'1

Cn

LA860448 :101

(EN 2002-1) (K328/85 MT2A)

Drop 94

Temper

A2U ni betieM

(XsM:niM) S \ TJ

stseT # \ niQ

19'0

NW

Test Code: 1504

£T

CMMP 025/RevT

NI 000.84

HT Coll

11/880201

:HTOIWN93T3MAIO

£T.

TEMPER:

NI 0030.0

GAUGE:

39A8

CLAD:

спатомек ракт иимвек;

1 PCS EST. 4181 LB

:YTITNAUD WEIGHT SHIPPED:

1116151

7-JUL-2011 SHIP DATE: **LINE ITEM:**

2024 772315 AMC A92024-155

VELOY:

BIT NOMBER:

2032773

KAISER ORDER NO:

108033

MORK PACKAGE: CUSTOMER PO NUMBER:

4231895

SHIP RUNILOAD: GOV'T CONTRACT NUMBER:

PRODUCT DESCRIPTION:

Serial Number

CERTIFIED TEST REPORT

19brismeA munimulA 8,1 6'0 6.4 03.0 03.0 2.1 05.0 8,5 00.0 00.0 MG NM Cn FE I\$

12.0

HE



TOT

TOT

EACH

REHTO RS

80.0

00'0

00.0

YZ

E.81: 4.71

Elongation %

80.0

00,0

٨

10.0

٨

31.0

00.0

İΤ

£0.0

IL

0.25

00.0

ΝZ

01.0

NZ

(321:323)

6.84: 8.84

Yield KSI (MPA)

01.0

00.0

CR

10,0

CB

STIMIT YOU'S

1.3

WG

(944:044)

6,83: 2,83

Page 1 of 2

91.0

80.0

XAM

80.0

NAHTO

XAM

NIM 2024

Actual

Chemistry: (ASTM E1251)

:elizneT

CERTIFIED TEST REPORT

4231895 Serial Number



Phone: (800) 367-2586 Trentwood Works - Spokane, WA 99215



CERTIFICATION

KAISER ALUMINUM FABRICATED PRODUCTS, ILC (KAISER) HEREBY CERTIFIES THAT METAL SHIPPED UNDER THIS ORDER WAS MELTED IN THE UNITED STATES OF AMERICA, AND RETS THE REQUIREMENTS OF THE RECOMMONG NETS THE REQUIREMENTS OF THE WRITTEN APPRICABLE SPECIFICATIONS AS INDICATED REREIN ALL MATCH IS SOLUTION HEAT TREATED COMPLIES OF AMERICA, AND METS THE REQUIREMENTS OF THE THAT SHOWN ON KAISER ALUMINUM FABRICATE WHICH IS SOLUTION HEAT TREATED COMPLIES WITH AMS 2772, ANY WARRANTY IS LIMITED TO DEARS 262.226 FOR DOMESTIC CONTENT. THIS MATERIAL HAS SEEN INSPECTED, RAD FOUND IN COMPLIES WITH AMS 2772, ANY WARRANTY IS LIMITED TO DEARS 262.226 FOR DOMESTIC CONTENT. THIS MATERIAL HAS SEEN INSPECTED, RAD FOUND IN COMPLIES WITH AMS 2772, ANY WARRANTY IS LIMITED TO THE WRITTEN SHALL NOT BE REPOUNDED THE REQUIREMENTS OF THE WRITTEN SHALL NOT BE REPOUNDED THE WRITTEN SHALL NOT BE WRITTEN SHALL NOT BE WRITTEN SHALL NOT BE WRITTEN SHALL NOT BE WRITTEN SHALL NOT WRITTEN SHALL NOT WRITTEN SHALL NOT BE WRITTEN SHALL NOT WRIT

BILL POYNOR, LABORATORIES SUPERVISOR

Page 2 of 2

TODOCTODO T. TOD



PACKING SLIP

A. M. Castle & Co.

Page 1 of 1

Shipment No: 1249245

Ship From:	S	Sold To:	Ship To:	Deliver To:
A. M. Castle & Co. (Canada)		DART AEROSPACE LTD	DART AEROSPACE LTD	DART AEROSPACE I TO
Inc.	12	1270 ABERDEEN		1270 ARERDEEN
MONTREAL	Ŧ	HAWKESBURY, ON K6A 1K7	HAWKESBURY ON KAA	HAWKEOBIRY ON
835-SELKIRK AVENUE		A	1K7 CAN	KAN 1K7
POINTE CLAIRE, QUEBEC	EC _			CA
H9R 3S2				S
Date Shipped F	F.O.B.	Freight Terms	Carrior	
			Carrie	DOLING
	Cricily	riepalu	MANITOULIN	1249245-2
Shipment Details			Final Destination Branch - MON	NON
	Line No	Item No	Description	
2089162 2		4969	0.2500.0.5000.FLAT.304.STA	0.2500.0.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156
			.0000	
			SPECIFICATIONS: ASTM A276	276
Parchase Order No	Par	Part Number	Ordered Oty	Invoice Oty
/16518 /			500.00 FT	7-500 08 ET
Details				000.00
Delivery No. M	Mill	Heat Number M	Mech Id PCS Width (lidth (IN) Length (IN) Shipped Oty/I BS)

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

117486711

PCS がんを

Width (IN)

Length (IN)

Shipped Qty(LBS)

149

216.36

425245

CORPORATION VALBRUNA


We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date: Name:

Castle Metals FP
HEATMUMBER 4000E 400 MECHANICAL ID
LOT NUMBER 108/3/
RECIEPT DATE 100 MARCHINER 108/3/1
SUPPLIER 100 MARCHINER
EN 10204 (2004) '3'1 CERTIFICAT DE RECEPTION INSPECTION CERTIFICATE **ABNAHMEPRUEFZEUGNIS** CERTIFICATO DI COLLAUDO

Certificato nr: MEST131291/2011/





Punzone del Collaudatore:

(0) A 004088 0103 874A8 3M8A

A 004062 A010S 6Y4A MT8A A 405 8 587-S-DD-2MA

(0) SECJI PT.A 2010 EDITION A 004062 010S 8YSA MT8A 3304-34 1 304 A Specifiche: Antordeungen / Requirements / Exigences

Stato di formitare: Descaled Annealed Hot rolled
Leterate de l'arient de l'ari

46801-FORT WAYNE, IN 46801-US 2400 TAYLOR STREET WEST

Cliente / Besteller/Purchessar/Clenk
VALBRUNA STAINLESS INC.

Produitore: ACCIAIERIE VALBRUNA S.P.A.

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4 36100 VICENZA (italia) - Viale della scienza, 25 z.f.

Valbruna sp.A.

Acciaierie

QUEITIE: T-304L #4969

		1														
						9	;					5	I FI I	ATSA .	Grain size to	A
		İ						XISIT	n nim							TEST
121			69			Z 9		Ι	98	· · · · ·		1.17	٦	89	12X6,3	A
•	-		20	-		0 þ	_		911 22	-		30		im sm	i itaelnini saukv briupefises saktusmite m	
Duresze etwek etwek firmto ATH	BSCO-0113-0 fectucations want page wantanti			ISINS Indianel Indianel India		Monto Stands Stand Stand Stands Stands Stand	BBRUIIA ebricosa eprosiA		Heelstenzi Zugenzen Tende strech Restance direch Rint K.S.I.	Offnemby estavos sandane auptane	XMS ,	Snewamento Stadonas Unite distata Linia distata R.S.I.	Pošízi Okogeko Posposi Okogeko Okogeko	ㅋ。	dissectors/BSJOVOTG silvercorginentisec3 allocarginentisec3 actic medical medical actic medical TEST	
	оребе	ar come entr	s lahətsm	i le endos s	gen		O DI 1709 1 a l'état de f		T ALLO S'		is gaute	ry condition. Pribe	evileb no) 159 <u>1</u>		
108302340	1.940		9	45254		120	/811	T	ST 1-8	7		00 × 0'S200	00910		15/7	0030
Lotto nv. tosor. tosor. tosor.	Paso - LB Cowich Weight Poids	Pozzi Pieces Pieces Pieces		Colata Somete Heat Coulés		lgy Se	nouot Buet Buet Suet Suet		ESTIBION SOMEON SOMEON SOMEON SOMEON	Ĭ.		ni - inoisne nigmesem noisnemic noisnemic	i ĭ∀		Oggetto Gegenaland Gegenaland Product description Inborg up, du prosed	POS. nr. Pos. nr. Here nr. Mr. de poste
					e684	118: SUF	UNSCRIZE THE PURCHASION OF THE								оолинуривидении	Marca: Mi

Tipo di Elaborazione: E+AOD

Ordine nr: 29954 108131 CASTLE

Avvice di Spedizione: D-Vi'i 1036790 Letomesigemende l'altra Letomesigemende de l'altra Letomesigemende de l'altra l'a

Analisi chimica

∠60'0 % N	0°054	P %	% IN %18	€u % 0,44	% oM 86,0	Cr % 18,18	% nM % 1,69	₩!S	0'018 C %	425245
- 001/0	050,0	₹₽ 0 '0	8,00 10,50	1,00	00,1	18,00 20,00	2,00	00, r	- nim 080,0 xam	Colata Meat SchmetzerCoulds

Controllo visivo e dimensionale: soddista le esigenze bestitamo un Armeneuro and sometimo bestitamo un Armeneuro and sometimo Controle visuale dimensione satisfatenti

Verwechskrugsrofung: specinslam Andmixing issting performed: OK Conirôle animelange fall: r.a.a. Controllo antimescolanza: OK Spring and a state of the state of the condition of the c Material is DFARS Compliant

Annealing temperature: 1940°F for 0.5 h/water.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1,s.,4.3 by TUEY and LLOYD'S We declare that the tinished product is checked for radioactive contamination through Portal System when it leaves the production plaint. Material free from Mercury contamination Meited and manufactured in Italy No welding or weld repair

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements are severe, critical and/or supplied product be used for more severe, critical and/or is any case different applications than those the material is generally intended for, any different and/or supplications than those the materials are responsible for any improper use of the requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acclainte SpA shall not be responsible for any improper use of the requirements. Any act of tempeting, modification, alteration, counterfelling and/or falsification and/or any other acition which modifies the contents of this test certification.

Of applicable civil and criminal laws. Accisione Valbrura shall protect its rights and interests before any competent court, authority and jurisdiction.

Fagina - 1 di 1

Vicenza,30/11/11

Onlaudatore of stabilimento (der Werksaschreretändige/ Works inspector (L'agent d'uaine Mylozzi (L'agent d'uaine



PACKING SLIP

A. M. Castle & Co.

Page 1 of 1

Shipment No:1249245

835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2 MONTREAL Ship From: 28-MAR-2012 Date Shipped A. M. Castle & Co. (Canada) F.O.B. ORIGIN DART AEROSPACE LTD Sold To: HAWKESBURY, ON K6A 1K7 1270 ABERDEEN Prepaid Freight Terms Ship To: HAWKESBURY, ON K6A DART AEROSPACE LTD 1K7 CAN 1270 ABERDEEN MANITOULIN Carrier HAWKESBURY, ON K6A 1K7 DART AEROSPACE LTD **Deliver To:** 1270 ABERDEEN 1249245-2 **BOL No**

Shipment Details			Final	Final Destination Bran	anch - MON		
Order No	Line No	Item No	Description	intion			
2089162		5054	0.6250).3.0000.FLAT.	304.STAINLE	SS.HR.ANN.F	0.6250.3.0000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156
			.0000				
			SPE(SPECIFICATIONS: ASTM A276	ASTM A276		
Furchase Order No	Part Number	umber	Ordered Qty	ed Qty		Ipvoice Oty	T)
(16518 /			12:00 FT	FT		(12.90 FT	
Details							
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
117483984	VALBRUNA	254056				154.75	82.21
	CORPORATION						

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the custorner cannot be returned

Reviewed by Authorized Castle Metals Representative:

Date: Name:

(9/3/3

EN 10204 (2002) '3'1 **CERTIFICAT DE RECEPTION INSPECTION CERTIFICATE ABNAHMEPRUEFZEUGNIS** CERTIFICATO DI COLLAUDO

Certificato nr: MEST088507/2011/





Valbruna sp.A. - Accialerie

CONTILL IMPONGEMENT SYSTEM CONTILL IMPONGEMENT SYSTEM

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4 36100 VICENZA (Italia) - Viale della scienza, 25 z.i.

Cilente / Beseikwirumtasevõikunt VALBRUNA STAINLESS INC. 2400 TAYLOR STREET WEST 46801-FORT WAYNE, IN 46801-US

asituborq entalfun Produtions: ACCIAIERIE VALBRUNA S.P.A.

State di fornitura: Descaled Annealed Hot rolled

Talenarajes ib Gradis in D-VIT 1 025667

Ordina nr: 30870 STOCK CAROL STR

Tipo di Elaborazione: El-AOD

Controllo vietvo e dimensionales soddista le esigenze bestratura un demensional attenzamento bestratura visuale dimensional attenzamento Controlla visual de dimensiona: satertalessoit

Punzone del Collaudatore:

Conferma ordine nr: El11006335 WedayOur Order/Park nr.

Marchio di Fabbrica:

Material free from Mercury contamination Controllo antimescolanza: OK

tingen blew to griblew of: Melted and manufactured in Italy titione againe, at bris naguradooks relietage et atnomeriupes erit fithy eonatmooze ni betielmut need azst labelem en aeonegine xus enmotron èvuon ète à lemaint e

etaeidoit inoixibroa el ettut ettatalboa etata cno8

Any set of temposing, modification, against overset protects for the set of t The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1,a,4.3 by TUEV and LLOYD' S We decisive that the finished product is checked for redioactive contamination through Portal System when it leaves the production plant.

ILEN CODE MECHANICAL ID 3504056 HEAT NUMBER_ Castle Metals FP

	J			
PPROVED	G -		<u> </u>	
OMMENT				
so.		40/	****	
SPECIFICATION			····	
ช.ลมาผส กร	141	POUNN		
SECEID1 DV1E	1-01	1108-7		
SO MUMBER	81201			
FEBRUARI TOT				·

Pagina - 2 di 2

M. Hiszsiflon il collaudatore di stabilimento / der Werkseschverständige/ Works inspector / L. agent d' usine

Vicenza,22/08/11

EN 10204 (2002) 371 CERTIFICAT DE RECEPTION INSPECTION CERTIFICATE **ABNAHMEPRUEFZEUGNIS** CERTIFICATO DI COLLAUDO

Certificato nr: MEST088507/2011/

A \$50400003 F \$04/304L A CQ-S-763 F \$04/304L A

ASTM AS20 2011 B8 CLASS1

Punzone del Collaudatore:

Westerlour Orden February Orden Principle Confermed Orden Principle Principl

sexhawmeleli ueb meribi sizan eba sixuborq enisuf eb ek Marchio di Fabbrica:

A 604058 H TABE 8MA

ASTM A262 2010 PRACTICE E

(4) A 50/001053 0103 671AS 3MSA

VEME 34193 2010 B8 CLASS1 (1)

CONTILLED BY LLOYD'S PEOUSTER Jallo1

H50501





Valbruna _{sp.e.} Acciaierie 🗸

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Clientle / Bedebien/Purbrack/Stlent VALBRUNA STAINLESS INC. 2400 TAYLOR STREET WEST 46801-FORT WAYNE, IN 46801-US

Produtione: ACCIAIERIE VALBRUNA S.P.A.

State of formiture: Descaled Annealed Hot tolled

otteggo bratanegeo

(0) SEC.II PT.A 2010 EDITION

A 60\004062 010S 3TSA MTSA

A JA05/405 B 587-2-00-2MA

(3) A 50/001052 A010S S81A MT2A

ASME SA276 2010 530400/03 A (2)

MIL-S-862 B/1 304/304L TIOS OYEA MTSA

VSI 0 304/304L A Specifiche: Anochennen Pequirements / Edgences

Pos. nr.

Marca: AISL

Qualité: 304/304L

Tipo di Elaborazione: E+AOD

Ordine in: 30876 STOCK CAROL STR

Avviso di Spedizione: D-VII i 026687

VSWE 84320 2010 B8 CLASS1 (3) ASME SA182 2010 530400/03 A (0) A 004052 H 6533 SMA

(1) SEC.II PT.A. 2010 EDITION (3) SEC.II PT.A. 2010 EDITION (5) For products machined directly from bar refer to ASTM A479. (7) For products machined directly from bar refer to ASTM A479. (7) * ISO 15156-3. Tec. configencium 1 2005/02/15 & 2 2005/09/01 ASTA A193 2011 B8 CLASS1
ASTA A193 2011 B8 CLASS1
ASTA A14 2006 530400/03 (6)
ASTA A473 2001 530400/03 (7)
AND TATA A193 200400/03 (7)

EZUELEKO I

(6) Chemical analysis only. A SEC. II PT.A 2010 EDITION (9) For products machined directly from bar refer to ASME SAAPS. (S) SEC.11 ID.14. A SOLD EDITION.

Punzonatura: 304/304L

8J - 0889 | ISS89 uj - ezzeußung Colata

BXXB1B(I about sectouti secto	FORMISCHER PROPERTY AND ADMINISTRATION PROPERTY VALUE		enoiside guidriand men to sobuber notate	connegnullA connected connected negocial prematrollA		warminostis weath bleft	Officems violes examples of the constitution o	sieofi otggs8 especial manual	et.	date-day (ADIS) vol. of the control	TS3.
	орында	- 4400 104 1	ehetan le exde edel	ARUTINEO FIG OT A enuitmust eb tetel a te	ATS OJJA T er nyubong mente	23T enachetel tue grude	y condition Pro	evilab no			
100100220	291.2		S24026	126 / 166	60-48	b	0229'0 × 0	2006		TisiT	0160
.hneen.i hn 90.d hn 16.d	stolweD stoleW sblog	Maxabita Second Second	ealemens feet ealuo Coulée	Mengari Hangari Mengar	epusuoo epusuoo	Ţ	noisnami	1		Product description Security, du produit	its de poste

				L		xem nim						TSE
182		39		2 4		16	T	97	7	89	12,5	
140	-	90		04	_	911 911		30	1	im sm	f (180)rion i seulay bankpañyas sestramés a	Antondarun
DANGESER anali	POSIDENCE Methodological Medican Medican	Benego jo i Durug	% ************************************	Hôp Được Đ	EQNUIIA abicarii ignolia agicila	Resistance Meaning of the control of traction Totals of traction The control of traction Inc. A. S. example de dis	Streetgewas Ved Grass Unite electric Fig. 0,2% K.S.i.	().	-b	tisteedora (EDISOVO) I disteriora (Seemine of Seemine o	TSE	

	nical properties according to ASTM A370.	Mecha
9	Grain size for ASTH E112	A
. xem ni		TEST

Analisi chimica

					1						Malank ac	- II I	ask tion	hu hearthard
	 		840'0 % N	0'052 8 %	% d %e0'0	0,102 0,102	40'8 % IN	0°48	99'0 % ow	% 10 18,45	% nM 39,1	86'0 %!S	0'0SI	S24026
	=	-	401,0	0,020 0,020			8,00 10,60	00,t	00,1	00,01 20,05	2,00			CORER Alest Schmista/Coulés

Micro and macro etch test: OK Annealing temperature: 1940*F for 1 h/water. Solution heat treated free from continuous carbide network.

Intergranular corrosion test per ASTM A262 pract. E: ok.

Material is DFARS Compliant

M. Rizzotfo / Lund il colleudaiore di arabillimento / der Werkssachverständige/ Worde krapector / L'agent d'usine

Pagina - 1 di 2

hanbahananana G⊷Tangenzhahangan G⊷Tangenzhahang

Vicenza,22/08/11

PURCHASE ORDER

Purchase Order ID PO16518

Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.



Срапде Ирт:

	ate of Conformity of Ation required when	Certific		. :		
n without	titution or deviatio	No subs				
				MATERIAL. AISI 303 SS BA ASTM A582 NOTE: AISI 304/316 NOT AC	Special Inst:	
			J	Yes		
97.168,28	\$240.9800	Yours ppd	2.00	T 71/0E/t	303 BAR 3.500" X 3.500"	M303B3.500X03.500
				MATERIAL: AISI 303 SS BA ASTR AS82 NOTE: AISI 304/316 NOT AG	Special Inst:	
96.620,18	008 <i>L</i>	Yours ppd	00.2	S9 <u>X</u> I 71/ 1 70/7	303 BAR 1" X 3"	M303B1.000X03.000
				MATERIAL: 2024-T3 ALUM R3 PER QQ-2-250/4 OR AMS-QQ-A-A-07 AMS 463TM B209 GR ASTM B209		
			ìs	Xes Y		-cco
00.817\$	76Lt L\$	Yours ppd		-	1994s 020. ET-4202	M2024T3S.050
Extended Price	esirt Price	hip Method		Req Date/ Req C Taxable Unit of Meas	Description/ Mfg ID	Line Abr Reference Revision ID Vendor Part Aumber
(3		K'ON KEY IKZ EN		hip To: DART AEROSPACE
	toe	estination-Coll	I	FOB		
		et 30 VD		Тегта Сигтепсу		Vendor Account Nbr
		7092-7210		Tax Resale Nbr		Vendor Fax 514 695 328
		hantal Lavoie)	Buyer Requisition Nbr	SI	Contact Name Vendor Phone 514 694 95
				:		Order From: A.M. CASTLE & CO. (CANA. CASTLE & CO. (CANA. CA
	age Number 1 of 2	I.				
	e Order Date 3/21/12 O Print Date 3/21/12	ď			Fax: 613 632 1053	

Change Date: 3/21/12

PURCHASE ORDER

Purchase Order ID PO16518

PO Print Date 3/21/12 Purchase Order Date 3/21/12

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.



Page Number 2 of 2

Contact Name TORONTO, ON M4Y 3A5 A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100 METAUX CASTLE **AC-WEL001** Order From:

Vendor Account Nbr Net 30 Terms 10127-2607 Tax Resale Nbr 214 695 3281 Vendor Fax 1dM noitisiupaA SLS6 \$69 \$15 Vendor Phone Chantal Lavoie Buyer

CVD Currency

000 Χes 71/40/15 304 BAR .625 X 3.00 M304B0.625X3.000

PLATE AISI 304/316 SS BAR OR AISI 304/316 SS Special Inst:

LOB

PER ASTM A276 OR ASTM A240

Aours ppd 00.00€ 4/04/15 NOTE: (303 NOT ACCEPTABLE)

80.505

Yours ppd

Destination-Collect

00.21

304 BAR .250 x .500

M304B0.250x0.500

020

AISI 304/316 SS BAR OR AISI 304/316 SS Special Inst:

χes

NOTE:(303 NOT ACCEPTABLE) PER ASTM A276 OR ASTM A240

27.112,38

\$1,215.00

09.555\$

:lstoT Oq

\$5.4300

\$27.8000

REQ'D UPON DELIVERY MATERIAL CERTIFICATION

Certificate of Conformity or Material consent. No substitution or deviation without

Certification required when applicable

3/21/12

Change Date:

Change Nbr: